


## AMENDMENTS TO THE CLAIMS

Claim 1. (Original): A compound of the general formula



including the optical isomers thereof and mixtures of such isomers, wherein

Ar<sub>1</sub> and Ar<sub>2</sub> independently of each other stand for an optionally substituted aryl or heteroaryl group,

R<sub>1</sub> and R<sub>2</sub> stand independently of each other for hydrogen, optionally substituted C<sub>1</sub>-C<sub>5</sub>alkyl, optionally substituted C<sub>2</sub>-C<sub>5</sub>alkenyl, C<sub>2</sub>-C<sub>5</sub>alkynyl or optionally substituted C<sub>3</sub>-C<sub>6</sub>cycloalkyl;

R<sub>3</sub> designates hydrogen, C<sub>3</sub>-C<sub>5</sub>alkenyl, C<sub>3</sub>-C<sub>5</sub>alkynyl or optionally substituted C<sub>1</sub>-C<sub>5</sub>alkyl;

R<sub>4</sub> is optionally substituted C<sub>1</sub>-C<sub>5</sub>alkyl, optionally substituted C<sub>2</sub>-C<sub>5</sub>alkenyl, C<sub>2</sub>-C<sub>5</sub>alkynyl or optionally substituted C<sub>3</sub>-C<sub>6</sub>cycloalkyl;

R<sub>5</sub> and R<sub>6</sub> are independently of each other hydrogen or optionally substituted C<sub>1</sub>-C<sub>5</sub>alkyl, optionally substituted C<sub>2</sub>-C<sub>5</sub>alkenyl, C<sub>2</sub>-C<sub>5</sub>alkynyl or optionally substituted C<sub>3</sub>-C<sub>6</sub>cycloalkyl;

R<sub>7</sub> and R<sub>8</sub> are independently of each other hydrogen or optionally substituted C<sub>1</sub>-C<sub>5</sub>alkyl, optionally substituted C<sub>2</sub>-C<sub>5</sub>alkenyl, C<sub>2</sub>-C<sub>5</sub>alkynyl or optionally substituted C<sub>3</sub>-C<sub>6</sub>cycloalkyl;

W designates a bridge selected from -O-, -S(O)<sub>m</sub>- or -NR<sub>3</sub>- ;

X designates a direct bond or a bridge selected from -O-, -S(O)<sub>m</sub>- or -NR<sub>3</sub>- ;

a and b independently of each other stand for a number 1, 2 or 3; and

c and m independently of each other stand for a number zero, 1 or 2.

Claim 2 (Original): A compound according to claim 1 wherein

Ar<sub>1</sub> stands for an aryl group which is optionally substituted with n radicals independently selected from R<sub>9</sub>; or stands for a 5-ring-membered heteroaryl group comprising as ring members 1 to 4 heteroatoms selected from nitrogen, oxygen or sulfur and being optionally substituted with n radicals independently selected from R<sub>11</sub>; or stands for a 6-ring-membered heteroaryl group comprising as ring members 1 to 4 heteroatoms selected from nitrogen, oxygen or sulfur and being optionally substituted with n radicals independently selected from R<sub>11</sub>; Ar<sub>2</sub> stands for an aryl group which is optionally substituted with n radicals independently selected from R'<sub>9</sub> and from one radical R<sub>10</sub>; or stands for a 5-ring-membered heteroaryl group comprising as ring members 1 to 4 heteroatoms selected from nitrogen, oxygen or sulfur and being optionally substituted with n radicals independently selected from R<sub>11</sub>; or stands for a 6-ring-membered heteroaryl group comprising as ring members 1 to 4 heteroatoms selected from nitrogen, oxygen or sulfur, and being

optionally substituted with n radicals independently selected from  $R_{11}$  ; or stands for a fused bicyclic heteroaryl group comprising as ring members 1 to 4 heteroatoms selected from nitrogen, oxygen or sulfur, and being composed from the 5-ring- or 6-ring-membered heteroaryl groups as defined for  $Ar_2$  with an annellated phenyl ring or with an annellated second 6-ring-membered heteroaryl, each ring and the bicyclic heteroaryl being optionally substituted with n radicals independently selected from  $R_{11}$  ;

$R_1$  and  $R_2$  stand independently of each other for hydrogen or  $C_1$ - $C_5$ alkyl optionally substituted by halogen,  $C_1$ - $C_3$ alkoxy or  $-NR_{12}R_{13}$ ; or stand for  $C_2$ - $C_5$ alkenyl optionally substituted by halogen or  $C_1$ - $C_3$ alkoxy; or stand for  $C_2$ - $C_5$ alkynyl; or stand for  $C_3$ - $C_6$ cycloalkyl optionally substituted by halogen,  $C_1$ - $C_3$ alkoxy;  $C_1$ - $C_3$ alkyl or  $-NR_{12}R_{13}$ ;

$R_3$  designates hydrogen,  $C_3$ - $C_5$ alkenyl,  $C_3$ - $C_5$ alkynyl or  $C_1$ - $C_3$ alkyl optionally substituted by  $C_1$ - $C_3$ alkoxy;  $C_3$ - $C_5$ alkenyloxy or  $C_3$ - $C_5$ alkynyloxy;

$R_4$  is  $C_1$ - $C_5$ -alkyl optionally substituted by halogen,  $C_1$ - $C_3$ alkoxy or  $-NR_{12}R_{13}$ ; or is  $C_2$ - $C_5$ alkenyl optionally substituted by halogen or  $C_1$ - $C_3$ alkoxy; or is  $C_2$ - $C_5$ alkynyl; or is  $C_3$ - $C_6$ cycloalkyl optionally substituted by halogen,  $C_1$ - $C_3$ alkoxy or  $C_1$ - $C_3$ alkyl;

$R_5$  and  $R_6$  are independently of each other hydrogen or  $C_1$ - $C_5$ alkyl optionally substituted by halogen,  $C_1$ - $C_3$ alkoxy or  $-NR_{12}R_{13}$ ; or are  $C_2$ - $C_5$ alkenyl optionally substituted by halogen or  $C_1$ - $C_3$ alkoxy; or are  $C_2$ - $C_5$ alkynyl; or are  $C_3$ - $C_6$ cycloalkyl optionally substituted by halogen,  $C_1$ - $C_3$ alkoxy;  $C_1$ - $C_3$ alkyl or  $-NR_{12}R_{13}$ ;

$R_7$  and  $R_8$  are independently of each other hydrogen or  $C_1$ - $C_5$ alkyl optionally substituted by halogen,  $C_1$ - $C_3$ alkoxy or  $-NR_{12}R_{13}$ ; or are  $C_2$ - $C_5$ alkenyl optionally substituted by halogen or  $C_1$ - $C_3$ alkoxy; or are  $C_2$ - $C_5$ alkynyl; or are  $C_3$ - $C_6$ cycloalkyl optionally substituted by halogen,  $C_1$ - $C_3$ alkoxy;  $C_1$ - $C_3$ alkyl or  $-NR_{12}R_{13}$ ;

$R_9$  and  $R'_9$  independently of each other stand for  $C_1$ - $C_5$ alkyl optionally substituted by halogen,  $C_1$ - $C_4$ alkoxy,  $-NR_{12}R_{13}$ ,  $-CO-R_{14}$  or the acyclic or cyclic ketals and acetals of  $-CO-R_{14}$  , by a -X-aryl which is optionally substituted by halogen,  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ haloalkyl,  $C_1$ - $C_4$ alkoxy,  $-CN$ ,  $-NO_2$  ,  $-NR_{12}R_{13}$ ,  $-CO-R_{14}$  or the acyclic or cyclic ketals and acetals of  $-CO-R_{14}$  ; by a -X-linked-5- or 6-ring-membered heteroaryl group optionally substituted by halogen,  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ haloalkyl,  $C_1$ - $C_4$ alkoxy,  $-CN$ ,  $-NO_2$  ,  $-NR_{12}R_{13}$ ,  $-CO-R_{14}$  or the acyclic or cyclic ketals and acetals of  $-CO-R_{14}$  ; or stand for  $C_3$ - $C_6$ cycloalkyl, optionally substituted by halogen, hydroxy,  $=O$ ,  $C_1$ - $C_4$ alkoxy,  $NR_{12}R_{13}$ ; or stand for  $C_1$ - $C_4$ alkoxy optionally substituted by halogen,  $C_1$ - $C_4$ alkoxy, by -X-aryl which is optionally substituted by halogen,  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ haloalkyl,  $C_1$ - $C_4$ alkoxy,  $-CN$ ,  $-NO_2$  ,  $-NR_{12}R_{13}$ ,  $-CO-R_{14}$  or the acyclic or cyclic ketals and acetals of  $-CO-R_{14}$  ; by a X-linked-5- or 6-ring-membered heteroaryl group optionally substituted by halogen,  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ haloalkyl,  $C_1$ - $C_4$ alkoxy,  $-CN$ ,  $-NO_2$  ,  $-NR_{12}R_{13}$ ,  $-CO-R_{14}$  or the acyclic or cyclic ketals and acetals of  $-CO-R_{14}$ ; or stand for  $C_2$ - $C_5$ alkenyl

optionally substituted by halogen or aryl; or stand for C<sub>2</sub>-C<sub>5</sub>alkynyl optionally substituted by halogen, tri-alkyl-silyl or aryl; or stand for C<sub>2</sub>-C<sub>5</sub>alkenyloxy optionally substituted by halogen or aryl; or stand for C<sub>2</sub>-C<sub>5</sub>alkynyloxy optionally substituted by halogen, tri-alkyl-silyl or aryl; or stand for C<sub>3</sub>-C<sub>6</sub>cycloalkoxy optionally substituted by C<sub>1</sub>-C<sub>3</sub>alkyl, halogen or C<sub>1</sub>-C<sub>4</sub>alkoxy; or stand for halogen; or stand for -NR<sub>12</sub>R<sub>13</sub>, or stand for -NR<sub>2</sub>-CO-R<sub>12</sub>; or stand for -NR<sub>2</sub>-CO-OR<sub>12</sub>; or stand for -NR<sub>2</sub>-CO-NR<sub>8</sub>R<sub>9</sub>; or stand for -NR<sub>2</sub>-CO-SR<sub>12</sub>; or stand for -NR<sub>2</sub>-CS-OR<sub>12</sub>; or stand for -NR<sub>2</sub>-CS-NR<sub>8</sub>R<sub>9</sub>; or stand for -NR<sub>2</sub>-CS-SR<sub>12</sub>; or stand for -NR<sub>2</sub>-C(=N-O-R<sub>12</sub>)-S-OR<sub>12</sub>; or stand for -NR<sub>2</sub>-C(=N-O-R<sub>12</sub>)-NR<sub>8</sub>R<sub>9</sub>; or stand for -NR<sub>2</sub>-C(=N-O-R<sub>12</sub>)-SR<sub>12</sub>; or stand for -S(O)<sub>p</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl optionally substituted by halogen; or stand for -NR<sub>2</sub>-SO<sub>2</sub>-NR<sub>8</sub>R<sub>9</sub>; or stand for nitro, for cyano or for -CS-NH<sub>2</sub>;

R<sub>10</sub> stands for hydrogen; or stands for -X-aryl which is optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, -CN, -NO<sub>2</sub>, -NR<sub>12</sub>R<sub>13</sub>, -CO-R<sub>14</sub> or the acyclic or cyclic ketals and acetals of -CO-R<sub>14</sub>; or stands for a X-linked 5-membered aromatic or non-aromatic heterocyclic ring comprising nitrogen, oxygen or sulfur as ring members and being optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, -CN, -NO<sub>2</sub>, -NR<sub>12</sub>R<sub>13</sub>, -CO-R<sub>14</sub> or the acyclic or cyclic ketals and acetals of -CO-R<sub>14</sub>; or stands for a X-linked 6-membered aromatic or non-aromatic heterocyclic ring comprising nitrogen, oxygen or sulfur as ring members and being optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, -CN, -NO<sub>2</sub>, -NR<sub>12</sub>R<sub>13</sub>, -CO-R<sub>14</sub> or the acyclic or cyclic ketals and acetals of -CO-R<sub>14</sub>; or stands for -CO-R<sub>14</sub> or the acyclic or cyclic ketals and acetals of -CO-R<sub>14</sub>; or stands for -O-CO-R<sub>14</sub>; or stands for -C(=N-O-R<sub>12</sub>)-R<sub>14</sub>; R<sub>10</sub> and one R'<sub>9</sub> together form a 3- or 4-membered non-aromatic bridge forming an annellated ring which may contain a carbonyl function or nitrogen, oxygen or sulfur as ring members and is optionally substituted by C<sub>1</sub>-C<sub>3</sub>alkyl;

R<sub>11</sub> is hydrogen, halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, -NR<sub>12</sub>R<sub>13</sub>, -NO<sub>2</sub>, -CN, -CO-R<sub>14</sub> or the acyclic or cyclic ketals and acetals of -CO-R<sub>14</sub>;

W designates a bridge selected from -O-, -S(O)<sub>m</sub>- or -NR<sub>3</sub>-;

X designates a direct bond or a bridge selected from -O-, -S(O)<sub>m</sub>- or -NR<sub>3</sub>-;

a stands for a number 1, 2 or 3;

b stands for a number 1, 2 or 3;

c stands for a number zero, 1 or 2;

m stands for a number zero, 1 or 2;

n stands for a number 1 or 2;

p stands for a number 0, 1 or 2;

R<sub>12</sub> and R<sub>13</sub> independently of each other stand for hydrogen; C<sub>1</sub>-C<sub>5</sub>alkyl optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, or aryl which in turn is

optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy or -CN ; or stand for C<sub>3</sub>-C<sub>5</sub>alkenyl optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, or aryl which in turn is optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy or -CN; or stand for C<sub>3</sub>-C<sub>5</sub>alkynyl optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, or aryl which in turn is optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy or -CN; or together form a 5-ring-membered non-aromatic carbocyclic ring; or together form a 6-ring-membered non-aromatic carbocyclic ring which is interrupted by -O- or -N(C<sub>1</sub>-C<sub>4</sub>alkyl)- ;

R<sub>14</sub> stands for C<sub>1</sub>-C<sub>5</sub>alkyl optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino; aryl which in turn is optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, -CN, -NO<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino or C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub>alkylaminocarbonyl or di(C<sub>1</sub>-C<sub>4</sub>alkyl)aminocarbonyl; or by a 5- or 6-ring hetero-aromatic ring which in turn is optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, -CN, -NO<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub>alkylaminocarbonyl or di-(C<sub>1</sub>-C<sub>4</sub>alkyl)aminocarbonyl; or stands for C<sub>3</sub>-C<sub>6</sub>cycloalkyl optionally substituted by halogen, hydroxy, =O, C<sub>1</sub>-C<sub>4</sub>alkoxy or C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino; or stands for C<sub>1</sub>-C<sub>4</sub>alkoxy optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkoxy; C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino; or stands for phenyl which is optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, -CN, -NO<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub>alkylaminocarbonyl or di-(C<sub>1</sub>-C<sub>4</sub>alkyl)aminocarbonyl; or stands for a 5- or 6-ring membered heteroaryl comprising nitrogen, oxygen or sulfur as ring members and being optionally substituted by halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl; C<sub>1</sub>-C<sub>4</sub>alkoxy, -CN, -NO<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub>alkylaminocarbonyl or di-(C<sub>1</sub>-C<sub>4</sub>alkyl)aminocarbonyl.

Claim 3 (Currently Amended): A compound according to claim 1, ~~claims 1 or 2~~ wherein wherein Ar<sub>1</sub> and Ar<sub>2</sub> independently of each other stand for optionally substituted phenyl; and the optional substituents R<sub>9</sub> of Ar<sub>1</sub> are preferably selected from the group comprising halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, -CN and -CO-R<sub>14</sub>; and the optional substituents R'<sub>9</sub> of Ar<sub>2</sub> are preferably selected from the group comprising halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, -CN, -CO-R<sub>14</sub>, -NR<sub>12</sub>R<sub>13</sub>, -NR<sub>2</sub>-CO-R<sub>12</sub>, -NR<sub>3</sub>-CO-OR<sub>12</sub>, -NR<sub>2</sub>-CO-NR<sub>8</sub>R<sub>9</sub>, -NR<sub>2</sub>-CO-SR<sub>12</sub>, -NR<sub>2</sub>-CS-OR<sub>12</sub>, -NR<sub>2</sub>-CS-NR<sub>8</sub>R<sub>9</sub>, -NR<sub>2</sub>-CS-SR<sub>12</sub>, -S(O)<sub>p</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, -S(O)<sub>p</sub>-C<sub>1</sub>-C<sub>4</sub>haloalkyl, -NR<sub>2</sub>-SO<sub>2</sub>-NR<sub>8</sub>R<sub>9</sub>, nitro, cyano and -CS-NH<sub>2</sub>; and the optional substituent R<sub>10</sub> on Ar<sub>2</sub> is selected from optionally substituted phenyl, optionally substituted imidazolyl, optionally substituted thiazolyl, optionally substituted

pyridyloxy, optionally substituted pyridyl, optionally substituted pyrimidinyl, optionally substituted pyrimidinyl, optionally substituted oxadiazolyl, optionally substituted triazolyl, optionally substituted pyrazolyl, optionally substituted oxadiazolyloxy, optionally substituted triazolyloxy and optionally substituted pyrazolyloxy.

Claim 4 (Original): A compound of formula I according to claim 1 wherein

Ar<sub>1</sub> and Ar<sub>2</sub> independently stand for optionally substituted aryl groups; and the optional substituents R<sub>9</sub> of Ar<sub>1</sub> are preferably selected from the group comprising halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, -CN and -CO-R<sub>14</sub>; and the optional substituents R'<sub>9</sub> of Ar<sub>2</sub> are preferably selected from the group comprising halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, -CN, -CO-R<sub>14</sub>, -NR<sub>12</sub>R<sub>13</sub>, -NR<sub>2</sub>-CO-R<sub>12</sub>, -NR<sub>3</sub>-CO-OR<sub>12</sub>, -NR<sub>2</sub>-CO-NR<sub>8</sub>R<sub>9</sub>, -NR<sub>2</sub>-CO-SR<sub>12</sub>, -NR<sub>2</sub>-CS-OR<sub>12</sub>, -NR<sub>2</sub>-CS-NR<sub>8</sub>R<sub>9</sub>, -NR<sub>2</sub>-CS-SR<sub>12</sub>, -S(O)<sub>p</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, -S(O)<sub>p</sub>-C<sub>1</sub>-C<sub>4</sub>haloalkyl, -NR<sub>2</sub>-SO<sub>2</sub>-NR<sub>8</sub>R<sub>9</sub>, nitro, cyano and -CS-NH<sub>2</sub>; and

the optional substituent R<sub>10</sub> on Ar<sub>2</sub> is selected from halogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, -CN, -NO<sub>2</sub>, -NR<sub>12</sub>R<sub>13</sub>, -CO-R<sub>14</sub> and the acyclic or cyclic ketals and acetals of -CO-R<sub>14</sub>; -O-CO-R<sub>14</sub>, optionally substituted phenyl, optionally substituted imidazolyl, optionally substituted thiazolyloxy, optionally substituted pyridyloxy, optionally substituted pyridyl, optionally substituted pyrimidinyl, optionally substituted pyrimidinyl, optionally substituted oxadiazolyl, optionally substituted triazolyl, optionally substituted pyrazolyl, optionally substituted oxadiazolyloxy, optionally substituted triazolyloxy and optionally substituted pyrazolyloxy; and

R<sub>1</sub>, R<sub>2</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub> and R<sub>8</sub> independently of each other are hydrogen or methyl; and

R<sub>3</sub> is hydrogen or C<sub>1</sub>-C<sub>4</sub>alkyl optionally substituted with C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>3</sub>-C<sub>4</sub>alkenyloxy, or C<sub>3</sub>-C<sub>4</sub>alkynyloxy; and

R<sub>4</sub> is hydrogen or C<sub>1</sub>-C<sub>4</sub>alkyl optionally substituted with halogen, C<sub>1</sub>-C<sub>3</sub>alkoxy, C<sub>1</sub>-C<sub>3</sub>alkylamino or di-C<sub>1</sub>-C<sub>3</sub>alkylamino; and

W is -O-; and

X is a direct bond; and

the suffixes (a) and (b) designate the number 1; and

the suffix (c) stands for the number zero.

Claim 5. (Original): A compound of formula I according to claim 1 wherein

Ar<sub>1</sub> and Ar<sub>2</sub> independently of each other stand for optionally substituted phenyl; and

the optional substituents R<sub>9</sub> and R'<sub>9</sub> of Ar<sub>1</sub> and Ar<sub>2</sub> are selected from the group comprising C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy and C<sub>3</sub>-C<sub>6</sub>cycloalkyl; and



X is a direct bond; and  
the suffixes (a) and (b) designate the number 1 ; and  
the suffix (c) stands for the number zero.

Claim 7 (Original): A compound according to claim 1, wherein

Ar<sub>1</sub> and Ar<sub>2</sub> independently of each other stand for optionally substituted phenyl; and  
the optional substituents R<sub>9</sub> and R'<sub>9</sub> of Ar<sub>1</sub> and Ar<sub>2</sub> are selected from the group comprising bromo, chloro, fluoro, methyl, ethyl, methoxy, ethoxy, trifluoromethyl and trifluoromethoxy; and  
the optional substituent R<sub>10</sub> on Ar<sub>2</sub> is selected from aminocarbonyl, acetyl, methoxycarbonyl, ethoxycarbonyl, 1-imidazolyl, 5-(3-methyl-1,2,4-thiadiazolyloxy), 2-pyridyl, 2-pyridyloxy, 4-pyrimidinyl, 2-(3,5-dichloropyridyloxy), 2-(4,6-dimethoxypyrimidinylthio), 2-oxadiazolyl, 2-(5-methyl-oxadiazolyl), 2-(5-ethyl-oxadiazolyl), 1-triazolyl, 1-pyrazolyl, 4-(2-methylthiazolyl), 2-(1,3,4-oxydiazolyl), and N-pyrrolidin-2-onyl, and

R<sub>1</sub> and R<sub>5</sub> are methyl and R<sub>2</sub> and R<sub>6</sub> are hydrogen; and

R<sub>3</sub> is hydrogen , methyl , ethyl, propyl, ethoxymethyl or methoxymethyl, and

R<sub>4</sub> is methyl , ethyl, propyl or fluoromethyl; and

W is -O- ; and

X is a direct bond; and

the suffixes (a) and (b) designate the number 1 ; and

the suffix (c) stands for the number zero.


Claim 8 (Original): A compound of formula I according to claim 1 selected from the group comprising

2-[(4-chlorophenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
2-[(4-chlorophenoxy)-methyl]-2-[(2-chlorophenyl)-methyl]-sulfonylamino-propionitrile,  
2-[(4-chlorophenoxy)-methyl]-2-[(2-fluorophenyl)-methyl]-sulfonylamino-propionitrile,  
2-[(4-trifluoromethoxyphenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
2-[(4-chloro-3-methylphenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
2-[(4-chlorophenoxy)-methyl]-2-benzylsulfonylamino-butryronitrile,  
2-[(4-chlorophenoxy)-methyl]-2-benzylsulfonylamino-3-methoxy-propionitrile,  
2-[(4-acetylphenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
2-[(4-methoxyphenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
2-[(4-acetylphenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
2-[(4-cyanophenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
(-)-2-[(4-cyanophenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,

2-[(4-propionylphenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
 2-[(4-ethoxyphenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
 2-[(4-[1,2,4]triazol-1-yl-phenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
 2-[(4-imidazol-1-yl-phenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
 2-[(4-cyanophenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-[1,3,4]oxadiazol-4-yl-phenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
 2-[(4-methoxyphenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-ethoxyphenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 (-)-2-[(4-ethoxyphenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-[1,2,4]triazol-1-yl-phenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-methoxycarbonylphenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
 2-[(4-propionylphenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-chlorophenoxy)-methyl]-2-benzylsulfonylamino-3-fluoro-propionitrile,  
 2-[(4-(2-methyl-thiazol-4-yl)-phenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-pyrazol-1-yl-phenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-(5-oxo-5,6,7,8-tetrahydronaphth-2-yloxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-chloro-phenoxy)-methyl]-2-benzylsulfonylamino-3-methyl-butyronitrile,  
 2-[(4-iso-propyl-phenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-nitro-phenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(4-cyano-phenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile,  
 2-[(3-fluoro-4-propionyl-phenoxy)-methyl]-2-benzylsulfonylamino-propionitrile,  
 (-)-2-[(4-[1,2,4]triazol-1-yl-phenoxy)-methyl]-2-benzylsulfonylamino-butyronitrile, and  
 (-)-2-[(4-acetylphenoxy)-methyl]-2-benzylsulfonylamino-propionitrile.


Claim 9 (Currently Amended): A process for the preparation of a compound of formula I according to claim 1, which comprises reacting

a) reacting the ~~the~~ sulfonylating agent of formula II




wherein ~~wherein~~ Ar<sub>1</sub>, a, X and R<sub>1</sub> to R<sub>2</sub>, are defined as under formula I, and A stands for a leaving group like an anhydride, i.e. -O-SO<sub>2</sub>-(CR<sub>1</sub>R<sub>2</sub>)<sub>a</sub>-X-Ar<sub>1</sub> or -O-CO-C<sub>1</sub>-C<sub>4</sub>alkyl, but preferably for halogen, especially bromine or more preferably chlorine, with an amino-acetonitrile of formula III





wherein  $Ar_2$ ,  $b$ ,  $c$ ,  $W$  and  $R_3$  to  $R_8$ , are defined as under formula I, or

b) coupling the reacting the compound of formula XIII



~~wherein~~ wherein  $Ar_1$ ,  $Ar_2$ ,  $a$ ,  $b$ ,  $c$ ,  $W$  and  $R_1$  to  $R_8$  are defined as under formula I and  $L$  is a leaving group such as e.g. halogen, preferably chlorine, bromine or iodine or a sulfonyloxy group such as e.g. methylsulfonyloxy-, toluylsulfonyloxy- or trifluoromethylsulfonyloxy- group, is coupled with a compound of formula XIV



wherein  $Ar_1$  is defined as under formula I and  $X'$  is either an anionic radical species of  $X$  such as  $O^-$ ,  $S^-$ ,  $S(O)_m^-$  combined with an alkaline- or earthalkaline- metal cation as counterion or is defined as  $X-H$  such as  $OH$ ,  $SH$ ,  $NHR_3$  if at the same time the reaction is generally carried out in the presence of a base such as alkaline-, earthalkaline-carbonates or hydrogencarbonates such e.g. sodium or potassium-carbonate, sodium or potassium -hydrogen-carbonate, cesium-carbonate or an agent capable of scavenging the formed acid.

Claim 10 (Original): A composition for controlling and protecting against phytopathogenic microorganisms, comprising a compound of formula I according to claim 1 as active ingredient together with a suitable carrier.

Claim 11 (Cancelled).

Claim 12 (Original): A method of controlling and preventing an infestation of crop plants by phytopathogenic microorganisms, which comprises the application of a compound of formula I according to claim 1 as active ingredient to the plant, to parts of plants or to the locus thereof.

Claim 13 (Original): A method according to claim 12, wherein the phytopathogenic microorganisms are fungal organisms.